Fax: 23698454

'05 17:23 Apr 4

P. 01/11

Patent

Custom No.: 31561

Docket No.: 10465-US-PA Application No.: 10/707,354

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Applicant

: Kuang-Feng Sung

Application No.

: 10/707,354

Filed

: 2003/12/8

For

: SLEW RATE ENHANCEMENT CIRCUIT VIA DYNAMIC

OUTPUT STAGE

Art Unit

: 2816

Examiner

: WELLS, KENNETH B

TRANSMITTAL LETTER

002-1-703-872-9306 (Via fax: 1+10 pages)

Assistant Commissioner for Patents Alexandria, VA 22314

Dear Sir,

In response to the Office Action dated January 10, 2005(Paper No.: 20040105), please find the Response to Office Action, in 10 pages.

I believe that no fee is incurred. However, the Commissioner is authorized to charge: any fees required in connection with the filing of this paper to account No. 50-2620 (Order No.: 10465-US-PA).

Thank you for your assistance in the subject matter. If you have any questions, please feel free to contact me.

Respectfully Submitted,

JIANQ CHYUN Intellectual Property Office

Date: April 4, 2005

Registration No.: 46,863

Please send future correspondence to:

7F. -1, No. 100, Roosevelt Rd.,

Sec. 2, Taipei 100, Taiwan, R.O.C.

Tel: 886-2-2369 2800

Fax: 886-2-2369 7233 / 886-2-2369 7234

E-MAIL: BELINDA@JCIPGroup.com.tw; USA@JCIPGroup.com.tw

BEST AVAILABLE COPY

Customer No.: 31561 Application No.: 10/707,354 Docket No.: 10465-US-PA

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:)		
)		
Kuang-Feng Sung)	Examiner:	WELS, KENNETH I
)		
Serial No.: 10/707,354)	Art Unit: 2816	
)		
Filed: 12/08/2003)	Docket No.: 10465-US-PA	
)		
For: SLEW RATE ENHANCEMENT)		
CIRCUIT VIA DYNAMIC OUTPUT)		
STAGE			

No fee is believed to be due in connection with this amendment and response to Office Action. If, however, any fee is believed to be due, the Commissioner is authorized to charge any fees required in connection with the filing of this paper to account No. 50-2620 (order No. 10465-US-PA).

AMENDMENT AND RESPONSE TO OFFICE ACTION

United States Patent and Trademark Office Customer Service Window Mail Stop Amendment Randolph Building 401 Dulany Street Alexandria, VA 22314

Sir:

The Office Action dated (1/10/2005), has been carefully considered. In response thereto, please enter the following amendments and consider the following remarks.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

□ other: _____